



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/551,742	07/24/2006	Uwe Holland	85844	4278
22342 7590 06/08/2009 FITCH EVEN TABIN & FLANNERY 120 SOUTH LASALLE STREET SUITE 1600 CHICAGO, IL 60603-3406				
EXAMINER MARCO ANTONI, PAUL D				
ART UNIT		PAPER NUMBER		
1793				
MAIL DATE		DELIVERY MODE		
06/08/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10551742	7/24/06	HOLLAND ET AL.	85844

FITCH EVEN TABIN & FLANNERY
120 SOUTH LASALLE STREET
SUITE 1600
CHICAGO, IL 60603-3406

EXAMINER

Paul Marcantoni

ART UNIT	PAPER
----------	-------

1793

20090604

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The applicants' 3/25/09 response electing Portland cement without traverse as the reactive support material (ie substrate or component a)) is respectfully acknowledged and appreciated. However, the applicants' response to the examiner's restriction/election requirement is incomplete and non-responsive only in that applicants may have inadvertently omitted also electing the liquid polymer compound b) component (see claim 1). Applicants may elect one species or one specific combination of species from claims 5 and 25. Should they elect a modified or unmodified biopolymer, please also elect one of the species from claim 25 or specific combination of species from claim 25. Please elect the b) component liquid polymer to be fully responsive in the next response.

Any questions may be directed to Paul Marcantoni at 571-272-1373.

/Paul Marcantoni/
Primary Examiner, Art Unit 1793